

Sample Results Summary Sheet

Please return this form to the Curator for each allocated Sample

Sample ID: RA-QD02-0041

PI: Takaaki Noguchi

Type and date of analysis performed:

Potted butt: Scanning electron microscopy (SEM) at Ibaraki University on Feb. 16, 2011.

Ultrathin sections: Scanning transmission electron microscopy (STEM) at Hitachi

High-technologies Co., on Feb. 24 and Jul. 17, 2011

Elements or phases identified: (Mg, Si, olivine, pyroxene, aromatic carbon, etc.)

Olivine and plagioclase

Nano particles were observed on the surface of olivine in ultrathin sections.

Nano particles on the surface contain sulfur. Nano particles below the very surface are nanophase metallic Fe.

Contaminant phases identified: (Al, SUS, carbon particles, etc.)

Not identified.

Sample handling: (e.g. exposed in atmosphere, embedded in resin, polished, sliced by FIB or UMT)

Embedding in epoxy resin in atmosphere at Ibaraki University on Feb.2, 2011 (Because this sample has been already enclosed in a thin layer of epoxy resin at the curation facility during preparation for the mainstream analyses, this sample was not exposed directly to the earth's atmosphere.)

Ultramicrotomy at Ibaraki University in atmosphere on Feb. 12, 2011. The ultrathin sections on TEM grids were preserved in a vacuum desiccator just after ultramicrotomy.

Carbon coating of the potted butt at Ibaraki University on Feb. 15, 2011. The potted butt was preserved in a vacuum desiccator just after carbon coating.

After SEM observation, the potted butt was embedded again for further main stream analyses on Feb. 17, 2011. Then, it was polished manually during February. It was transferred to Kyushu University.

State of sample pre-analysis: (e.g. N2 hold, atmosphere, resin embedded, polished section, UTS) (please describe treatments and/or modifications for the sample you have done before

your analysis)

STEM observation: ultramicrotomed sections embedded in epoxy resin.

SEM observation: Carbon coated potted butt.

State of sample post-analysis:

All the ultrathin sections were preserved in a vacuum desiccator at Ibaraki University.

Analysis data Notes: (summary of the attached analysis data and/or images)

Please see the summary seat of this particle.

Sample handling history

1. Embedding in epoxy resin at Ibaraki Univ. on Feb.2, 2011
2. Ultramicrotomy at Ibaraki Univ. on Feb. 12, 2011
3. Potted butt: Carbon coating at Ibaraki Univ. on Feb. 15, 2011
4. Potted butt: SEM at Ibaraki Univ. on Feb. 16, 2011
5. Potted butt: re-embedding on Feb. 17. 2011 at Ibaraki U.
6. Manual polishing during Feb. at Ibaraki U.
7. Ultrathin sections: STEM at Hitachi High-tech., on Feb. 24, and Jul. 17, 2011

Processes No. 1, 2, 5, and 6 were performed in the earth's atmosphere.

Samples (1) Potted butt: RA-QD02-0041, (2) Ultrathin sections: RA-QD02-0041-1 to 3








Figure A and B) Potted butt: Optical photomicrographs after UM (open and reflected) (2).
C) BSE image of PB (4). Abbriations; Ol: olivine, Pl: plagioclase, Striations are artifacts formed during ultramicrotmy. **D and E)** HAADF-STEM images of the surfaces of olivine on RA-QD02-0041-1 (7). Nanoparticles (bright spots) are observed in the surface layer (<50 nm thick).